






PRODUCT NUMBER SEE SHEET 2



SECTION Z-Z



Copyright FCI.

spec ref		dr	Xie Bob	2013/12/17	projection	MM	size	A3	scale	3:2
tolerance std		eng	Eddy Zeng	2014/05/06			ecn no		-	
ASME Y14.5		chr	Li-He	2014/05/06			rel level		Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr	Pei-Ming Zheng	2014/05/06	product family		PowerBlade+		-	
surface		linear	0.X	±0.50		13P+12S+10P+12S+3LP VT PF RECEPTACLE		dwg no 10106269-P306201	rev A	
			0.XX	±0.25						
			0.XXX	±0.10						
ASME Y14.5		angular	0°	±2°	www.fci.com	cat. no.	Product - Customer Drw		sheet 1 of 3	



A

B

C

D

A

B

C


D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10123565
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL  
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE  
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE  
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.



Copyright FCI.

dr	Xie Bob	2013/12/17	projection 	MM 	size	A3	scale	1:1
eng	Eddy Zeng	2014/05/06			ecn no	-		
chr	Li-He	2014/05/06			rel level	Released		
appr	Pei-Ming Zheng	2014/05/06			product family	PowerBlade+		
		title 13P+12S+10P+12S+3LP VT PF RECEPTACLE		dwg no 10106269-P306201	rev A			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			