

<u>Test Report 測試報告</u>

		Number 報告號碼	: TWNC00768494
Applicant 申請廠商:	Chilisin Electronics Corp. 奇力新電子股份有限公司 No.29, Lane 301, Dexing Road, Hosing Village, Hukou Township, Hsinchu County, Taiwan (R.O.C.) 新竹縣湖口鄉和興村德興路 301 巷 29 號	Date 日期	: Feb 26, 2019
以下測試樣品乃供應商 Sample Description	nitted samples said to be : 所提供及確認:		
樣品名稱 Style / Item No. 產品型號	: BMCx SERIES		
Date Sample Received 收件日期			
Date Test Started 開始測試日期	: Feb 19, 2019		
Test Conducted 測試執行: As requested by the a 依申請商之要求, 細節	applicant, for details please refer to attached page 請參考附頁.	es.	
Conclusion 結論: <u>Tested Sample</u> <u>測試樣品</u> Submitted Samples 送檢樣品	<u>Standard</u> <u>標準</u> Restriction of Hazardous Substances (RoH 危害物質限制 - As per applicant's request with reference and Amendment (EU) 2015/863 依據客戶要求參考歐盟指令 2011/65/EU 2015/863	ce to 2011/65/E	
	As per applicant's request 依據客戶要求 - Antimony (Sb) Content 銻含量 - Phthalates Content 鄰苯二甲酸酯含量		See Test Conducted 請見測試內容 See Test Conducted 請見測試內容

Authorized By: On behalf of Intertek Testing Services Taiwan Limited Matt Wang Sr. Manager

Signed by:

homasChou

Thomas Chou Manager

Page 1 of 11



See Test Conducted

請見測試內容

Intertek Testing Services Taiwan Ltd. 全國公證檢驗股份有限公司 8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓

Halogen Content

鹵素含量



Test Conducted 測試內容:

Test Result Summary 測試結果:

			<u>Result</u> 結果	
<u>Test Item</u> <u>測試項目</u>	<u>Unit</u> <u>單位</u>	<u>Test Method</u> <u>測試方法</u>	<u>Grey electronic</u> component (mixed all parts)	<u>RL</u>
Heavy Metal 重金屬		·		
Cadmium (Cd) Content 鎘含量	ppm	With reference to IEC 62321- 5: 2013, by microwave or acid digestion and determined by ICP-OES. 参考 IEC 62321-5: 2013,以微 波或酸液消化法消化樣品並用 感應耦合電漿原子發射光譜儀 分析。	ND	2
Lead (Pb) Content 鉛含量	ppm	With reference to IEC 62321- 5: 2013, by microwave or acid digestion and determined by ICP-OES. 参考 IEC 62321-5: 2013,以微 波或酸液消化法消化樣品並用 感應耦合電漿原子發射光譜儀 分析。	ND	2
Mercury (Hg) Content 汞含量	ppm	With reference to IEC 62321- 4:2013+AMD1:2017, by microwave or acid digestion and determined by ICP-OES. 参考 IEC 62321-4:2013+AMD 1:2017,以微波或酸液消化法 消化樣品並用感應耦合電漿原 子發射光譜儀分析。	ND	2
Antimony (Sb) Content 銻含量	ppm	With reference to USEPA 3052, by microwave digestion and determined by ICP-OES. 参考 USEPA 3052,以微波消化 法並用感應耦合電漿原子發射 光譜儀分析。	ND	2
Chromium VI (Cr ⁶⁺) Content 六價鉻含量	ppm	With reference to IEC 62321- 7-2: 2017, organic solvent was used to dissolve or swell sample matrix, followed by alkaline digestion and determined by UV-Vis Spectrophotometer. 參考 IEC 62321-7-2:2017,以 有機溶劑溶解或使樣品基質膨 脹,再進行鹼液消化,用紫外 光-可見光分光光度計分析。	ND	8

Page 2 of 11

8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓





Test Conducted 測試內容:

<u>Test Item</u> <u>測試項目</u>	<u>Unit</u> 單位	<u>Test Method</u> <u>測試方法</u>	<u>Result 結果</u> <u>Grey electronic</u> <u>component (mixed all</u> <u>parts)</u>	<u>RL</u>	
Polybrominated Biphenyls (PBE	3s) 多溴聯	苯			
Monobrominated Biphenyls (MonoBB) 單溴聯苯	ppm	With reference to IEC 62321- 6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 参考 IEC 62321-6: 2015,以溶 劑萃取並用氣相層析質譜儀分 析,必要時會以高效液相層析 儀光二極體陣列偵測儀進行確 認。	ND	5	
Dibrominated Biphenyls (DiBB) 二溴聯苯	ppm		ND	5	
Tribrominated Biphenyls (TriBB) 三溴聯苯	ppm		ND	5	
Tetrabrominated Biphenyls (TetraBB) 四溴聯苯	ppm		ND	5	
Pentabrominated Biphenyls (PentaBB) 五溴聯苯	ppm		ND	5	
Hexabrominated Biphenyls (HexaBB) 六溴聯苯	ppm		ND	5	
Heptabrominated Biphenyls (HeptaBB) 七溴聯苯	ppm		ND	5	
Octabrominated Biphenyls (OctaBB) 八溴聯苯	ppm		ND	5	
Nonabrominated Biphenyls (NonaBB) 九溴聯苯	ppm		ND	5	
Decabrominated Biphenyl (DecaBB) 十溴聯苯	ppm		ND	5	
Polybrominated Diphenyl Ether					
Monobrominated Diphenyl Ethers (MonoBDE) 單溴聯苯醚	ppm		ND	5	
Dibrominated Diphenyl Ethers (DiBDE) 二溴聯苯醚	ppm	With reference to IEC 62321- 6: 2015, by solvent extraction and determined by GC-MS and further HPLC-DAD confirmation when necessary. 参考 IEC 62321-6: 2015,以溶 劑萃取並用氣相層析質譜儀分 析,必要時會以高效液相層析 儀光二極體陣列偵測儀進行確	ND	5	
Tribrominated Diphenyl Ethers (TriBDE) 三溴聯苯醚	ppm		ND	5	
Tetrabrominated Diphenyl Ethers (TetraBDE) 四溴聯苯醚	ppm		ND	5	
Pentabrominated Diphenyl Ethers (PentaBDE) 五溴聯苯醚	ppm		ND	5	
Hexabrominated Diphenyl Ethers (HexaBDE) 六溴聯苯醚	ppm		ND	5	
Heptabrominated Diphenyl Ethers (HeptaBDE) 七溴聯苯醚	ppm		ND	5	
Octabrominated Diphenyl Ethers (OctaBDE) 八溴聯苯醚	ppm	認。	ND	5	
Nonabrominated Diphenyl Ethers (NonaBDE) 九溴聯苯醚	ppm		ND	5	
Decabrominated Diphenyl Ether (DecaBDE) 十溴聯苯醚	ppm		ND	5	



Intertek Testing Services Taiwan Ltd.8F., No. 423, Ruiguang Rd., Neihu District,
Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



Test Conducted 測試內容:

<u>Test Item</u> <u>測試項目</u>	<u>Unit</u> 單位	<u>Test Method</u> <u>測試方法</u>	<u>Result 結果</u> Grey electronic component (mixed all parts)	<u>RL</u>
Phthalates 鄰苯二甲酸酯		·		
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	ppm		ND	50
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	ppm	With reference to IEC 62321- 8:2017, by solvent extraction and determined by GC-MS. 參考 IEC 62321-8:2017,以溶 劑萃取並用氣相層析質譜儀分 析。	ND	50
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	ppm		ND	50
Di-(Iso-Nonyl) Phthalate (DINP) 鄰苯二甲酸二異壬酯	ppm		ND	50
Di-(Iso-Decyl) Phthalate (DIDP) 鄰苯二甲酸二異癸酯	ppm		ND	50
Di-(N-Octyl) Phthalate (DNOP) 鄰苯二甲酸二辛酯	ppm		ND	50
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	ppm		ND	50
Halogen Content 鹵素含量				
Chlorine (CI) 氯	ppm	With reference to EN 14582:2016 by combustion bomb with oxygen and determined by Ion	ND	50
Bromine (Br) 溴	ppm	Chromatography. 参考 EN 14582:2016,以氧彈 燃燒集氣法並用離子層析儀分 析。	ND	50
備註 百萬分之一, ND = Not detected	依據測試 未檢測出 t, quantita	on weight of tested sample = mg/ 漾品重量計算 = 毫克/公斤 ation limit of analyte in sample 定量偵測極限	kg	

Responsibility of Chemist 分析人員 : Pelny Hsiao/ Vita Fu

 Date Sample Received 樣品收件日期
 : Feb 19, 2019

 Test Period 樣品測試期間
 : Feb 19, 2019 to Feb 23, 2019

Page 4 of 11



8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



Test Conducted 測試內容:

RoHS Limit RoHS 限值

Restricted Substances 限用物質	<u>Limits</u> 限值
Cadmium (Cd) content 鎘含量	0.01% (100ppm)
Lead (Pb) content 鉛含量	0.1% (1000ppm)
Mercury (Hg) content 汞含量	0.1% (1000ppm)
Chromium VI (Cr ⁶⁺) content 六價鉻含量	0.1% (1000ppm)
Polybrominated Biphenyls (PBBs) 多溴聯苯	0.1% (1000ppm)
Polybrominated Diphenyl Ethers (PBDEs) 多溴聯苯醚	0.1% (1000ppm)
Di(2-ethylhexyl) Phthalate (DEHP) 鄰苯二甲酸二(2-乙基己基)酯	0.1% (1000ppm)
Dibutyl Phthalate (DBP) 鄰苯二甲酸二丁酯	0.1% (1000ppm)
Benzyl Butyl Phthalate (BBP) 鄰苯二甲酸苯基丁酯	0.1% (1000ppm)
Diisobutyl Phthalate (DIBP) 鄰苯二甲酸二異丁酯	0.1% (1000ppm)

The limits were quoted from Annex II of 2011/65/EU and Amendment (EU) 2015/863 for homogeneous material. 本限值是依據歐盟指令 2011/65/EU 及其更新指令(EU) 2015/863 之附錄二針對均質材質所訂定。



 Intertek Testing Services Taiwan Ltd.
 8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C.
 11492 台北市內湖區瑞光路 423 號 8 樓

Tel: (+886-2) 6602-2888 · 2797-8885 Fax: (+886-2) 6602-2420 www.intertek-twn.com

Page 5 of 11





Test Conducted 測試內容:

Measurement Flowchart 測試流程圖:



Page 6 of 11



8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



Test Conducted 測試內容:

Remark 備註:

*1: List of Appropriate Acid 各材質添加酸液如下表:

Material 材質	Acid Added for Digestion 添加酸液種類	
Polymers 聚合物	HNO ₃ ,HCl,HF,H ₂ O ₂ ,H ₃ BO ₃ 硝酸、鹽酸、氫氟酸、雙氧水、硼酸	
Metals 金屬	HNO ₃ ,HCI,HF 硝酸、鹽酸、氫氟酸	
Electronics 電子產品	HNO ₃ ,HCl,H ₂ O ₂ ,HBF ₄ 硝酸、鹽酸、雙氧水、氟硼酸	

*2: If sample solution is significantly more intense than 0.13 μg/cm² equivalent comparison standard, Chromium VI would be determined as detected, the result of visual observation is positive. 當待測樣品溶液顏色明顯比 0.13 μg/cm² 深,採用目測法判定六價銘結果爲陽性。





8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



Test Conducted 測試內容:

Measurement Flowchart 測試流程圖:

Test for Heavy Metal (Sb) Contents 重金屬(銻) Reference Method 參考方法: USEPA 3052



Page 8 of 11



Intertek Testing Services Taiwan Ltd. 全國公證檢驗股份有限公司 8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



Test Conducted 測試內容:

Measurement Flowchart 測試流程圖:

Test for Phthalates Content 鄰苯二甲酸酯測試 Reference Method 參考方法: IEC 62321-8:2017







8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



Test Conducted 測試內容:

Number 報告號碼

: TWNC00768494

Measurement Flowchart 測試流程圖:

Test for Halogen Content 鹵素測試 Reference Method 參考方法: EN 14582







Intertek Testing Services Taiwan Ltd. 全國公證檢驗股份有限公司

8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



Sample photo 樣品照片:



End of Report

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: <u>http://www.intertek-twn.com/terms/</u>. Intertek's responsibility and liability are limited to the terms and conditions of the agreement.

This report is made solely on the basis of your instructions and / or information and materials supplied by you and provide no warranty on the tested sample(s) be truly representative of the sample source. The report is not intended to be a recommendation for any particular course of action, you are responsible for acting as you see fit on the basis of the report results. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. This report does not discharge or release you from your legal obligations and duties to any other person. You are the only one authorized to permit copying or distribution of this report (and then only in its entirety). Any such third parties to whom this report may be circulated rely on the content of the report solely at their own risk.

Page 11 of 11

www.intertek-twn.com

Intertek Testing Services Taiwan Ltd. 全國公證檢驗股份有限公司 8F., No. 423, Ruiguang Rd., Neihu District, Taipei, 11492, Taiwan, R.O.C. 11492 台北市內湖區瑞光路 423 號 8 樓



