

March 2018

Mn-Zn

Ferrite Core for Switching Power Supplies

 SP_{series}

FERRITES

▲ REMINDERS FOR USING THESE PRODUCTS

Please be sure to read this manual thoroughly before using the products.

The products listed on this catalog are intended for use in general electronic equipment (AV equipment, telecommunications equipment, home appliances, amusement equipment, computer equipment, personal equipment, office equipment, measurement equipment, industrial robots) under a normal operation and use condition.

The products are not designed or warranted to meet the requirements of the applications listed below, whose performance and/or quality require a more stringent level of safety or reliability, or whose failure, malfunction or trouble could cause serious damage to society, person or property.

When using the products for specific purposes, please first make confirmations in areas such as safety, reliability, and quality.

Please understand that we are not in a position to be held responsible for any damage or the like caused by any use exceeding the range or conditions of this specification sheet or by any use in the specific applications.

- (1) Aerospace/Aviation equipment
- (2) Transportation equipment (electric trains, ships, etc.)
- (3) Medical equipment
- (4) Power-generation control equipment
- (5) Atomic energy-related equipment
- (6) Seabed equipment
- (7) Transportation control equipment

- (8) Public information-processing equipment
- (9) Military equipment
- (10) Electric heating apparatus, burning equipment
- (11) Disaster prevention/crime prevention equipment
- (12) Safety equipment
- (13) Other applications that are not considered general-purpose applications

When using this product in general-purpose standard applications, you are kindly requested to take into consideration securing protection circuit/equipment or providing backup circuits, etc to ensure higher safety.

公TDK

FERRITES

⊗TDK

Ferrite Core for Switching Power Supplies

Product compatible with RoHS directive Halogen-free

Overview of the Ferrite Core for Switching Power Supplies

FEATURES

○ A ferrite core for transformers.

O Can also be used in reactors.

APPLICATION

O Large size industrial equipment, transformers for consumer equipment

- Reactors
- O Wireless power transfer

PART NUMBER CONSTRUCTION



RANGE OF USE AND STORAGE TEMPERATURE

Temperature range				
Operating	erating Storage			
temperature	temperature			
(°C)	(°C)			
-30 to +105	-30 to +85			

RoHS Directive Compliant Product: See the following for more details. https://product.tdk.com/info/en/environment/rohs/index.html
Halogen-free: indicates that CI content is less than 900ppm, Br content is less than 900ppm, and that the total CI and Br content is less than 1500ppm.

Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.

FERRITES

(4/4)

Mn-Zn SP Cores

SHAPES AND DIMENSIONS



PC40	SP	25	×	25	×	5
Material	Core shape	Dimension A		Dimension B		Dimension C

Part No.	Dimensions (mm)				
Fait NO.	А	В	С		
PC40SP25×25×5 PC95SP25×25×5	25.0±0.5	25.0±0.5	5.0±0.5		
PC40SP50×50×5 PC95SP50×50×5	50.0±1.0	50.0±1.0	5.0±0.5		
PC40SP100×100×5 PC95SP100×100×5	100.0±2.0	100.0±2.0	5.0±0.5		
PC40SP70×20×20 PC95SP70×20×20	70.0±1.4	20.0±0.4	20.0±0.5		
PC40SP110×40×20 PC95SP110×40×20	110.0±2.2	40.0±0.8	20.0±0.5		
PC40SP135×65×20 PC95SP135×65×20	135.0±2.5	65.0±1.5	20.0±0.5		

A Please be sure to request delivery specifications that provide further details on the features and specifications of the products for proper and safe use. Please note that the contents may change without any prior notice due to reasons such as upgrading.