

# Han-Eco 16B-HTE-for SL-M32-glanded



| Part number                                    | 19 43 116 0447                      |  |  |  |
|--|-------------------------------------|--|--|--|
| Specification                                  | Han-Eco 16B-HTE-for SL-M32-glanded  |  |  |  |
| HARTING eCatalogue                             | https://b2b.harting.com/19431160447 |  |  |  |
| Identification                                 |                                     |  |  |  |
| Category                                       | Hoods/Housings                      |  |  |  |
| Series of hoods/housingsHan-Eco <sup>®</sup> B |                                     |  |  |  |
| Type of hood/housing                           | Hoods                               |  |  |  |
| Description of hood/<br>housing                | With integrated cable gland         |  |  |  |

### Version

| Locking type | Single locking lever |
|--------------|----------------------|
| Size         | 16 B                 |
| Version      | Top entry            |
| Cable entry  | 1x M32               |
|              |                      |

#### **Technical characteristics**

| Limiting temperature                   | -40 +125 °C |
|--|-------------|
| Degree of protection acc. to IEC 60529 | IP66        |
| Clamping range                         | 13 21 mm    |

## Material properties

| Material (hood/housing)                   | Polyamide<br>Fibre-glass reinforced |
|---|-------------------------------------|
| Colour (hood/housing)                     | RAL 9005 (jet black)                |
| Material flammability class acc. to UL 94 | V-0                                 |

## Specifications and approvals

| Specifications  | IEC 61984<br>EN 45545-2 R22: HL1, HL2, HL3<br>EN 45545-2 R23: HL1, HL2, HL3<br>EN 45545-2 R24: HL1, HL2, HL3 |  |
|-----------------|--|--|
| Commercial data |  |  |

Packaging size

Page 1 / 2 | Creation date 2018-12-07 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric GmbH & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com

1

Product data sheet 19 43 116 0447 Han-Eco 16B-HTE-for SL-M32-glanded



### Commercial data

Net weight

Country of origin

183 g

Germany

85389099

European customs tariff number

Page 2 / 2 | Creation date 2018-12-07 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric GmbH & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com