

# Electronic housing - ME 22,5 OT-1MSTBO BK - 2707495

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Component housing, Color: black, Width: 22.5 mm, Constructional height: 38.5 mm

### Why buy this product

- ▼ Tool-free mounting
- Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- ✓ Inflammability class V0 according to UL 94
- Variety of connection technologies
- Optional bus connector that is either integrated or mounted on the DIN rail



### **Key Commercial Data**

Packing unit	1 STK
Minimum order quantity	10 STK
Weight per Piece (excluding packing)	16.000 g
Custom tariff number	85369010
Country of origin	Germany

### Technical data

### General

Housing type	Component housing
Housing material	Polyamide
Color	black

### Ambient conditions

Ambient temperature (operation)	-40 °C 105 °C



# Electronic housing - ME 22,5 OT-1MSTBO BK - 2707495

## Technical data

### **Dimensions**

Constructional height	38.5 mm
Width	22.5 mm

### Technical data

Flammability rating according to UL 94	V0
Number of positions	4

### Standards and Regulations

Flammability rating according to UL 94	V0

### Classifications

### eCl@ss

	<del>-</del>
eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

### **ETIM**

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

# Approvals

### Approvals

Approvals



# Electronic housing - ME 22,5 OT-1MSTBO BK - 2707495

# Approvals UL Recognized Ex Approvals Approval details UL Recognized http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm FILE E 240868

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com