



Zio Qwiic nrf52840 Dev Board

SKU: 101968

Description:

This is a development and breakout board based on nRF52840 SoC - a powerful combination of ARM Cortex-M4 CPU and 2.4GHz Bluetooth radio. With the nRF52840 at the heart of your project, you'll be presented with a seemingly endless list of project-possibilities in an incredibly small package.

This board breaks out most of the nRF52840 module's pins, including GPIO, UART, SPI, I2C, NFC, etc.. With the Micro USB connector, you can easily program and supply power to it. We've flashed <u>Adafruit's nrf52 bootloader</u>, an Arduino core for our nRF board, so you can interface with the arduino IDE.

Additionally, we put a Qwiic connector on the board, so you can easily use our Qwiic modules with this development board. And there is a full-color <u>addressable</u> <u>LED WS2812-2020</u> connected to Pin8. We also break out the NFC pins for NFC testing purpose.

It also support programming with CircuitPython, check sparkfun's tutorial here.

You can find most of the technical specifications details from the <u>nRF52840</u> module datasheet.

Specification

- Dimension: 57.4 x 23.9mm
- Weight: 5.1g
- Operation Voltage: 3.3V

Links:

- PCB schematic
- PCB Source File
- Datasheet
- Nordic nRF5 SDK
- Bootloader Source Code
- Adafruit Arduino IDE tutorial
- Sparkfun CircuitPython tutorial
- <u>GitHub</u>

More Product Picture:



